

Date: Wednesday, 5/23/2007 3:24:21 PM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services Drawing Name : WEARPAD
 Job Number : 32465
 Estimate Number : 10313
 P.O. Number :
 This Issue : 5/23/2007 S.O. No. :
 Prsht Rev. : NC Drawing Number : D2648 REV D
 First Issue : / / Project Number : N/A
 Previous Run : 31695 Type : SMALL /MED FAB Drawing Revision : D:
 Material :
 Due Date : 6/10/2007 Qty: 200 Um: Each
 Written By :
 Checked & Approved By : Kim Johnston
 Comment : Est: E 02.09.18 Re-format; Incorporated D2648-1 KJ/RF
 Est Rev:F Now on Waterjet 06-08-14 JLM

Additional Product

Job Number:



Seq. # Machine Or Operation: Description :

1.0 M1010S16GA 1010/1025/A21/6aA SHEET



Comment: Qty.: 0.0788 sf(s)/Unit Total : 15.7500 sf(s)

1010/1025/A21/6aA SHEET

(M1010S16GA)

Batch: M1010S16GA IB 07-06-28

2.0 WATER JET FLOW WATER JET



Comment: FLOW WATER JET

1-Cut as per Dwg D2648

*****CUT WITH FILE D2648-1*****

Dwg Rev: B

Prog Rev: B

2-Deburr if necessary IB 07-06-28

3.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0 QC8 SECOND CHECK



Comment: SECOND CHECK

5.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary

IB 07-07-09

SAP 07/07/10

200

07/07/10

200

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Wednesday, 5/23/2007 3:24:21 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEARPAD

Job Number: 32465

Part Number: D26483

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

BRAKE NC

NC BRAKE



Comment: NC BRAKE

1-Form as per Dwg D2648 on CNC brake using Jigs DT 8261 and DT 8326.

2-Identify as D2648-3

SAO 07/07/14

200

7.0

LARGE FAB 1

LARGE FABRICATION RESOURCE 1



Comment: LARGE FABRICATION RESOURCE 1

Qty Description

Batch

A/R560Hardcoat

4107368/M104721

1-Weld as per Dwg D2648 using Jig DT 8210

2-Remove any weld that penetrated through Wearpad if necessary

200 07/08/13 (200x)

8.0

QC9

VISUAL WELDING INSPECTION



Comment: VISUAL WELDING INSPECTION

07/08/13 (200)

9.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

07/08/13 (200)

10.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3

M 104846

07/08/13 (200x)

11.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

07/08/13 (200)

12.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: FF-17

07/08/13 (200)

13.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

07-08-14

Job Completion



C 07/08/14

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

D2648-1 FLAT PATTERN




SECTION A-A




7560 HARDCOAT WELDS
TO WITHIN 0.25 OF
WEARPAD ENDS
0.063 TO 0.125 THICK


SECTION B-B




D2648-3 LONGITUDINAL BEND (MADE FROM D2648-1)



D2648-5 LONGITUDINAL BEND (MADE FROM D2648-1)



D2648-7 LONGITUDINAL BEND (MADE FROM D2648-1)



RELEASED
99.12.20 DS



BREAK ALL SHARP CORNERS 0.063 MAX
MATERIAL: 16 GAUGE AISI 1010-1025 OR ASTM A36/A366 STEEL (0.063 THICK)
FINISH: POWDER COAT GREY (REF. 4.3.5.5) PER DART QSI 005
TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
ALL DIMENSIONS ARE IN INCHES

NO. 32465
WORK ORDER
WITHOUT NOTICE
SUBJECT TO AMENDMENT
UNCONTROLLED COPY
ENGINEERING
RETURN TO
SHOP COPY

D	99.11.17	ADDED D2648-7
C	97.06.26	R31.6 WAS R19.6
B	97.05.30	ENLARGE OBROUND, 0.375 WAS 0.250
A	97.03.25	NEW ISSUE
DESIGN	DRAWN BY	DART DART AEROSPACE USA, INC. BELLEVUE, WA
CHECKED	APPROVED	DRAWING NO. D2648
DATE	TITLE	WEARPAD
99.11.17		SCALE 1:2